

| LP | km | Str. | Zjazdy projektowane | | | | | | Zjazdy istniejące | |
|-------------|----------|------|---------------------|-----------|---------|--------------|--------------|--|-------------------|-----------------------|
| | | | Długość | Szerokość | Skos/ R | Powierzchnia | Nawierzchnia | Powierzchnia dowiązania wysokościowe z kruszywa łamanego | Nawierzchnia | Rozbiórka nawierzchni |
| | | | | | | | | | | m ² |
| Odcinek A-B | | | | | | | | | | |
| 1 | 0+034,10 | P | 4,40 | 4,00 | R=3,0m | 21,70 | BITUM. | 0 | GRUNT | |
| 2 | 0+039,40 | L | 4,10 | 4,00 | R=3,0m | 19,90 | BITUM. | 0 | GRUNT | |
| 3 | 0+055,50 | P | 4,00 | 4,00 | R=3,0m | 20,00 | BITUM. | 0 | GRUNT | |
| 4 | 0+073,60 | L | 4,00 | 4,00 | R=3,0m | 19,60 | BITUM. | 0 | GRUNT | |
| 5 | 0+100,00 | P | 4,20 | 4,00 | R=3,0m | 20,30 | BITUM. | 0 | GRUNT | |
| 6 | 0+135,70 | P | 2,00 | 4,00 | R=3,0m | 11,70 | BITUM. | 0 | GRUNT | |
| 7 | 0+163,30 | P | 2,00 | 4,00 | R=3,0m | 11,70 | BITUM. | 0 | GRUNT | |
| 8 | 0+179,00 | L | 1,00 | 4,00 | R=3,0m | 6,60 | BITUM. | 4 | GRUNT | |
| 9 | 0+202,70 | L | 1,00 | 4,00 | R=3,0m | 6,70 | BITUM. | 8 | GRUNT | |
| 10 | 0+362,00 | P | 2,30 | 4,00 | R=3,0m | 13,20 | BITUM. | 4 | GRUNT | |
| 11 | 0+386,90 | P | 2,50 | 4,00 | R=3,0m | 13,80 | BITUM. | 4 | GRUNT | |
| 12 | 0+537,20 | P | 2,10 | 4,00 | R=3,0m | 12,40 | BITUM. | 8 | GRUNT | |
| 13 | 0+558,80 | L | 1,80 | 4,00 | R=3,0m | 11,00 | BITUM. | 4 | GRUNT | |
| 14 | 0+572,20 | P | 3,40 | 4,00 | R=3,0m | 17,40 | BITUM. | 0 | GRUNT | |
| 15 | 0+588,50 | L | 3,90 | 4,00 | R=3,0m | 19,30 | BITUM. | 4 | GRUNT | |
| SUMA | | | 42,70 | 60,00 | ----- | 225,30 | ----- | 36,00 | ----- | 0,00 |
| Odcinek C-D | | | | | | | | | | |
| 16 | 0+005,10 | L | 1,50 | 4,00 | R=3,0m | 9,40 | BITUM. | 4 | GRUNT | |
| 17 | 0+047,00 | P | 4,00 | 4,00 | R=3,0m | 20,00 | BITUM. | 0 | GRUNT | |
| 18 | 0+082,30 | L | 1,60 | 4,00 | R=3,0m | 10,10 | BITUM. | 12 | GRUNT | |
| 19 | 0+120,40 | L | 1,60 | 4,00 | R=3,0m | 9,80 | BITUM. | 4 | GRUNT | |
| 20 | 0+138,60 | L | 1,50 | 4,00 | R=3,0m | 9,70 | BITUM. | 4 | GRUNT | |
| 21 | 0+275,80 | P | 1,40 | 4,00 | R=3,0m | 8,90 | BITUM. | 8 | GRUNT | |
| 22 | 0+312,80 | P | 1,20 | 4,00 | R=3,0m | 7,90 | BITUM. | 12 | GRUNT | |
| 23 | 0+339,40 | L | 1,50 | 4,00 | R=3,0m | 9,50 | BITUM. | 12 | GRUNT | |
| 24 | 0+456,80 | L | 1,70 | 4,00 | R=3,0m | 10,40 | BITUM. | 8 | GRUNT | |
| 25 | 0+461,80 | P | 3,00 | 4,00 | R=3,0m | 15,90 | BITUM. | 0 | GRUNT | |
| 26 | 0+484,90 | L | 3,00 | 4,00 | R=3,0m | 10,60 | BITUM. | 0 | GRUNT | |
| 27 | 0+506,30 | L | 1,80 | 4,00 | R=3,0m | 10,80 | BITUM. | 12 | GRUNT | |
| 28 | 0+535,70 | L | 1,80 | 4,00 | R=3,0m | 10,90 | BITUM. | 8 | GRUNT | |
| 29 | 0+632,40 | P | 3,30 | 4,00 | R=3,0m | 17,00 | BITUM. | 8 | GRUNT | |
| 30 | 0+642,40 | P | 3,40 | 4,00 | R=3,0m | 15,80 | BITUM. | 12 | GRUNT | |
| 31 | 0+646,40 | P | 3,50 | 4,00 | R=3,0m | 15,90 | BITUM. | 12 | GRUNT | |
| 32 | 0+664,10 | P | 3,60 | 4,00 | R=3,0m | 18,40 | BITUM. | 4 | GRUNT | |
| 33 | 0+775,60 | L | 3,10 | 4,00 | R=3,0m | 16,20 | BITUM. | 0 | GRUNT | |

| LP | km | Str. | Zjazdy projektowane | | | | | | Zjazdy istniejące | |
|------|----------|------|---------------------|-----------|---------|----------------|--------------|--|-------------------|-----------------------|
| | | | Długość | Szerokość | Skos/ R | Powierzchnia | Nawierzchnia | Powierzchnia dociążania wysokościowego z kruszywa łamanego | Nawierzchnia | Rozbiórka nawierzchni |
| | | | m | m | m | m ² | | m ² | | m ² |
| 34 | 0+788,60 | L | 3,10 | 4,00 | R=3,0m | 16,30 | BITUM. | 0 | GRUNT | |
| 35 | 0+800,80 | P | 4,70 | 4,00 | R=3,0m | 22,70 | BITUM. | 4 | GRUNT | |
| 36 | 0+890,70 | L | 2,80 | 4,00 | R=3,0m | 15,30 | BITUM. | 0 | GRUNT | |
| 37 | 0+915,10 | L | 2,80 | 4,00 | R=3,0m | 15,20 | BITUM. | 0 | GRUNT | |
| 38 | 1+221,50 | L | 2,60 | 4,00 | R=3,0m | 14,30 | BITUM. | 0 | GRUNT | |
| 39 | 1+316,00 | P | 3,80 | 4,00 | R=3,0m | 19,00 | BITUM. | 0 | GRUNT | |
| 40 | 1+386,60 | P | 2,90 | 4,00 | R=3,0m | 16,20 | BITUM. | 0 | GRUNT | |
| 41 | 1+397,20 | L | 3,40 | 4,00 | R=3,0m | 16,30 | BITUM. | 0 | GRUNT | |
| 42 | 1+421,70 | P | 3,80 | 4,00 | R=3,0m | 19,20 | BITUM. | 0 | GRUNT | |
| 43 | 1+456,50 | P | 2,40 | 4,00 | R=3,0m | 13,30 | BITUM. | 0 | GRUNT | |
| 44 | 1+518,60 | L | 2,40 | 4,00 | R=3,0m | 13,50 | BITUM. | 12 | GRUNT | |
| 45 | 1+538,40 | P | 2,50 | 4,00 | R=3,0m | 13,70 | BITUM. | 16 | GRUNT | |
| 46 | 1+557,50 | P | 2,50 | 4,00 | R=3,0m | 14,00 | BITUM. | 20 | GRUNT | |
| 47 | 1+563,50 | L | 2,30 | 4,00 | R=3,0m | 13,10 | BITUM. | 12 | GRUNT | |
| 48 | 1+572,20 | P | 2,50 | 4,00 | R=3,0m | 13,90 | BITUM. | 8 | GRUNT | |
| 49 | 1+608,90 | L | 2,60 | 4,00 | R=3,0m | 14,20 | BITUM. | 4 | GRUNT | |
| 50 | 1+628,20 | P | 2,40 | 4,00 | R=3,0m | 13,70 | BITUM. | 4 | GRUNT | |
| 51 | 1+644,60 | L | 2,60 | 4,00 | R=3,0m | 14,30 | BITUM. | 8 | GRUNT | |
| 52 | 1+660,90 | P | 2,40 | 4,00 | R=3,0m | 13,30 | BITUM. | 4 | GRUNT | |
| 53 | 1+665,70 | L | 2,30 | 4,00 | R=3,0m | 12,90 | BITUM. | 4 | GRUNT | |
| 54 | 1+678,60 | P | 2,30 | 4,00 | R=3,0m | 13,10 | BITUM. | 0 | GRUNT | |
| 55 | 1+704,40 | L | 2,30 | 4,00 | R=3,0m | 13,10 | BITUM. | 8 | GRUNT | |
| 56 | 1+718,80 | P | 2,40 | 4,00 | R=3,0m | 12,30 | BITUM. | 8 | GRUNT | |
| 57 | 1+743,30 | P | 2,40 | 4,00 | R=3,0m | 13,60 | BITUM. | 8 | GRUNT | |
| 58 | 1+756,30 | L | 2,40 | 4,00 | R=3,0m | 13,50 | BITUM. | 20 | GRUNT | |
| 59 | 1+761,20 | P | 2,50 | 4,00 | R=3,0m | 13,70 | BITUM. | 0 | GRUNT | |
| 60 | 1+795,60 | P | 2,50 | 4,00 | R=3,0m | 14,00 | BITUM. | 0 | GRUNT | |
| 61 | 1+795,60 | L | 2,50 | 4,00 | R=3,0m | 13,70 | BITUM. | 4 | GRUNT | |
| 62 | 1+880,10 | P | 3,20 | 4,00 | R=3,0m | 16,60 | BITUM. | 12 | GRUNT | |
| 63 | 1+913,50 | P | 3,80 | 4,00 | R=3,0m | 18,90 | BITUM. | 8 | GRUNT | |
| 64 | 1+926,00 | L | 1,20 | 4,00 | R=3,0m | 8,20 | BITUM. | 8 | GRUNT | |
| 65 | 1+956,50 | L | 1,20 | 4,00 | R=3,0m | 8,00 | BITUM. | 8 | GRUNT | |
| 66 | 1+976,80 | L | 1,30 | 4,00 | R=3,0m | 8,30 | BITUM. | 8 | GRUNT | |
| 67 | 2+125,50 | L | 1,50 | 4,00 | R=3,0m | 9,60 | BITUM. | 0 | GRUNT | |
| 68 | 2+141,00 | P | 2,40 | 4,00 | R=3,0m | 13,30 | BITUM. | 8 | GRUNT | |
| SUMA | | | 133,20 | 212,00 | ----- | 721,50 | ----- | 316,00 | ----- | 0,00 |

| LP | km | Str. | Zjazdy projektowane | | | | | | Zjazdy istniejące | |
|-------------|----------|------|---------------------|-----------|---------|--------------|--------------|--|-------------------|-----------------------|
| | | | Długość | Szerokość | Skos/ R | Powierzchnia | Nawierzchnia | Powierzchnia dowiązania wysokościowego z kruszywa łamanego | Nawierzchnia | Rozbiórka nawierzchni |
| | | | | | | | | | | m ² |
| Odcinek E-F | | | | | | | | | | |
| 69 | 0+063,20 | P | 3,20 | 4,00 | R=3,0m | 16,60 | BITUM. | 0 | GRUNT | |
| 70 | 0+194,80 | L | 2,20 | 4,00 | R=3,0m | 12,60 | BITUM. | 4 | Kos. Bet. | 16,60 |
| 71 | 0+235,50 | L | 2,70 | 4,00 | R=3,0m | 14,50 | BITUM. | 0 | GRUNT | |
| 72 | 0+358,40 | P | 3,20 | 4,00 | R=3,0m | 16,80 | BITUM. | 0 | GRUNT | |
| 73 | 0+773,60 | P | 2,30 | 4,00 | R=3,0m | 13,10 | BITUM. | 0 | GRUNT | |
| 74 | 0+889,60 | P | 1,80 | 4,00 | R=3,0m | 10,80 | BITUM. | 0 | GRUNT | |
| 75 | 0+912,60 | P | 2,20 | 4,00 | R=3,0m | 10,90 | BITUM. | 4 | GRUNT | |
| 76 | 0+916,60 | P | 2,30 | 4,00 | R=3,0m | 11,00 | BITUM. | 4 | GRUNT | |
| 77 | 0+922,10 | L | 1,70 | 4,00 | R=3,0m | 10,30 | BITUM. | 4 | GRUNT | |
| 78 | 0+932,80 | P | 2,20 | 4,00 | R=3,0m | 12,40 | BITUM. | 4 | GRUNT | |
| 79 | 0+967,00 | P | 2,40 | 4,00 | R=3,0m | 12,90 | BITUM. | 4 | GRUNT | |
| 80 | 0+992,30 | P | 1,50 | 4,00 | R=3,0m | 9,00 | BITUM. | 4 | GRUNT | |
| 81 | 1+002,30 | P | 1,60 | 4,00 | R=3,0m | 10,00 | BITUM. | 4 | GRUNT | |
| 82 | 1+031,40 | P | 2,40 | 4,00 | R=3,0m | 13,50 | BITUM. | 0 | GRUNT | |
| SUMA | | | 31,70 | 56,00 | ----- | 174,40 | ----- | 32 | ----- | 16,60 |

Podsumowanie:

Powierzchnia projektowanych zjazdów bitumicznych -
powierzchnia dowiązania z k.ł. gr. śr 15cm-

1121,20 m²
384,00 m²

rozbiórka nawierzchni z kostki betonowej -

16,60 m²